

# 3M DI-NOC™

ARCHITECTURAL FINISHES



# REFURB WITH FILM

## Looking for an alternative refurbishment solution?

Self-adhesive films could be a simple and cost-effective alternative for your interior design projects. Create faux finishes by wrapping existing surfaces, saving landfill and avoiding the disruption of traditional refurbishments.

## Looking for an installer?






We have a growing network of fully trained applicators who will be able to supply and install your projects with confidence. This elite group of installers, from fit out, sign and graphics companies, all share the same mission, to be one of the first to uncover exceptional ways to renovate building interiors and exteriors and to tap into the growing market of architectural finishes.

*Architextural, part of William Smith Group 1832 are stockists and trade suppliers of all architectural and building related films. Transform decor both inside and out, or solve glazing issues with solar and security window films.*

*With the largest stock of architectural films in the UK, you have access to hundreds of alternative self-adhesive surface options for your design projects.*

*Our fully trained and high quality installation network can wrap existing fixtures, fittings, furniture within bars, hotels, restaurants, retail or any commercial environment.*

**Surface. Designed.**



THEY SAY THAT FORM  
FOLLOWS FUNCTION.  
**WE SAY FORM  
PRESERVES FUNCTION.**

# WOOD FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended

## WOOD FINISHES



FW-1683	FW-1761	FW-788	FW-1765	FW-1138	FW-1208	FW-7001	FW-1307
FW-1745	FW-1130	FW-789	FW-1129	FW-1766	FW-1981	FW-1256	FW-1289
FW-1681	FW-1988	FW-1262	FW-1810	FW-1285	FW-1293	FW-236	FW-327
FW-1755	FW-1257	FW-1296	FW-1306	FW-1122	FW-1259	FW-1286	FW-1123
FW-237	FW-795	FW-1805	FW-1278	FW-1734	FW-1125	FW-888	FW-233

WOOD FINISHES



WOOD FINISHES



WOOD FINISHES



WG-941 ⚡ WG-763 GN ⚡ WG-1360 WG-943 ⚡ WG-697 ⚡ WG-1706 WG-694 ⚡ WG-7022 ⚡




WG-157 ⚡ WG-364 GN ⚡ WG-417 ⚡ WG-1147 ⚡ WG-2078 WG-1067 WG-2076 WG-467



WG-1353 WG-2072 WG-696 ⚡ WG-947 ⚡ WG-1336 WG-2077 WG-1376 WG-1374



WG-1835 WG-2047 WG-664 ⚡ WG-156 ⚡ WG-1052 ⚡ WG-1050 ⚡ WG-1070 ⚡ WG-657 EX ⚡ ! W



WG-960 EX ⚡ ! W WG-1140EX ⚡ ! W

WOOD FINISHES



DW-1872 MT ! DW-2198 MT ! DW-1888 MT ! DW-1875 MT ! DW-2219 MT ! DW-1889 MT ! DW-2209 MT ! DW-1897 MT !



DW-1878 MT ! DW-1877 MT ! DW-1890 MT ! DW-1898 MT ! DW-2224 MT ! DW-2210 MT ! DW-1884 MT ! DW-1899 MT !



DW-1891 MT ! DW-2226 MT ! DW-1886MT ! DW-1882MT ! DW-1885MT ! DW-1896MT ! DW-1992MT !

# COLOUR FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended

## COLOUR FINISHES




PS-959	PS-1187	PS-1185	PS-983	PS-1436	PS-1186	PS-090	PS-031
PS-042	PS-091	PS-1438	PS-093	PS-022	PS-027	PS-034	PS-074
PS-293	PS-1005	PS-1440	PS-503	PS-955	PS-954	PS-971	PS-952
PS-950	PS-949	PS-992	PS-504	PS-1183	PS-999	PS-948	PS-1904 MT
PS-1989 MT	PS-1863 MT	PS-2098 MT	PS-1867 MT	PS-1866 MT	PS-2093 MT	PS-1869 MT	PS-1870 MT

COLOUR FINISHES




COLOUR FINISHES





# METALLIC FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.

 Suitable for external application

 Not recommended for use on compound curves / stretching

 Overlaps preferred, splice joints not recommended



## METALLIC FINISHES



							
ME-432	PA-180	PA-046	PA-683	PA-039	PA-038	PA-183	PA-320
							
PA-390	PA-181	PA-175	PA-036	PA-045	PA-187	PA-185	ME-431
							
PA-389	ET-1775	ET-1772	ME-1716	ME-1466	ME-904	ME-377	ME-1435
							
ME-1434	CH-2116	ME-396	ME-1223	ME-1997	ME-486	ME-009AR	ME-1224
							
ME-1225	VM-305	VM-306	ME-2285AR	ME-379	ME-1175	ME-1684	ME-2284AR

METALLIC FINISHES



ME-1685	CH-1629	VM-1695	VM-2121	VM-1487	VM-1694	AM-1721	AM-1697
AM-1702	TE-1714	TE-1713	HS-1655	HS-1656	FA-1167	FA-1521	FA-1166
FA-690	FA-688	AM-1701	AM-1699	VM-2037	VM-2038	VM-2039	ME-388
VM-381	VM-800	ME-1961	AM-1720	LW-1085	LW-1084	LW-1083	BW-1310
BW-1312	BW-1314	FA-1153	VM-1691	VM-1692	VM-1693	VM-2035	VM-2090

METALLIC FINISHES



VM-2034	AE-1643	VM-452	ME-147	ME-2024	ME-2022	ME-2023	ME-2020
ME-2027	ME-2026	FE-1964	FE-1966	FE-1967	LZ-461	PG-197	LZ-462
PG-189	FA-1161	FA-592	RT-1112	RT-1111	FA-1531	VM-1855 MT	VM-1862 MT
CA-419	CA-418	CA-420	CA-421	TE-1650	TE-1652	TE-1653	ME-1467 AR
PA-1854 EX	PA-187 EX	PA-039 EX	PA-038 EX	PA-181 EX	PA-389 EX	FA-1530EX	

# STONE FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended

## STONE FINISHES



AE-1632	AE-1953	FA-1678	FA-1527	FA-1526	FA-1680	FA-2169	ST-1828
ST-737	AE-1637	AE-1634	ST-1831	AE-1639	CN-1623	CN-1958	AE-1638
CN-1622	CN-1621	AE-2150	AE-2154	ST-1829	ST-1586	AE-1635	FA-1962
AE-1719	AE-1633	AE-1951	AE-2155	ST-1830	AE-1717	AE-1718	AE-1645
AE-1952	AE-1640	AE-1642	AE-1641	PC-491			

STONE FINISHES



ST-736EX	ST-442EX	ST-1914MT	AE-1931MT	AE-1917MT	AE-2162MT	ST-1918MT	AE-1959MT
AE-1928MT	AE-1880MT	ST-1915MT	ST-1927MT	AE-1913MT	ST-1912MT	AE-1960MT	AE-1926MT
AE-2164MT	AE-1932MT	ST-1916MT	ST-1920MT	AE-1933MT	AE-1944MT	AE-1929MT	AE-1956
PC-1179	PC-1178	PC-758	PC-760				

FABRIC FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.

- Suitable for external application
- Not recommended for use on compound curves / stretching
- Overlaps preferred, splice joints not recommended



FABRIC FINISHES




FABRIC FINISHES





# LEATHER FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.























 Suitable for external application

 Not recommended for use on compound curves / stretching

 Overlaps preferred, splice joints not recommended

## LEATHER FINISHES



							
LE-1105	LE-1552	LE-018	LE-2128	LE-1109	LE-1108	LE-517	LE-1106
							
LE-2741	LE-2782	LE-1555	LE-1229	LE-1228	LE-1231	LE-1171	LE-1551
							
LE-1104							
							
SU-2232 MT	SU-2233 MT	SU-2231 MT	SU-2234 MT	SU-2235 MT			

# TECHNICAL SPECIFICATIONS

The use of architectural film has become more prevalent over the last few years as there has been a shift in attitude toward using sustainable solutions and methods within the construction sector.

Wrapping doors or case goods instead of ripping out and sending to landfill is a powerful statement for any stakeholders within a refurbishment scheme.

We recommend you discuss all technical considerations for your project with one of our skilled installation partners. Please contact us to organise a consultation or trial application with a member of our installation network



## DURABILITY

Due to the number of finishes available, durability varies between patterns and brands. Cover Styl' finishes typically last 10 years, standard 3M DI-NOC has a durability of 5 years for exterior applications but up to 12 years for indoor use. The specialist exterior range however is expected to last 10 years+ ensuring protection against defects in fading, peeling, discoloration or loss of adhesion.

## ABRASION RESISTANCE

Superior to many common wall surfaces such as paint/wallpaper, an equivalent level of HPL. There are additional specialist ranges also available for high traffic areas, or where greater protection is sought.

## IMPACT RESISTANCE

Performance is superior to many common wall surfaces such as paint/wallpaper. However, film surfaces can be dented if sufficient force is applied. Impact resistance is highly dependent on the strength of the substrate material onto which it is applied. As it is a vinyl, it offers a degree of cushioning on impact, where harder substrates such as laminates may crack with the same impact. However, the beauty of architectural film, is that any damage over its lifetime can be repaired with an invisible patch, without having to remove or replace any expensive panels.

## CLEANING

Architectural films are made from durable PVC, meaning they are wipeable and practical. They are also resistant to staining by common substances e.g. food or household cleaners. Full technical spec sheets are available on request.

## FIRE CERTIFICATION

Architectural films meet all building and IMO regulations with fire certifications available across the range. Should you require specific information by patterns, we can put you in touch with our technical department. Fire test results vary by finish and application substrate, with most classified as class B or C with low dripping and emissions.





For more information visit:  
[www.vinilcomestilo.pt](http://www.vinilcomestilo.pt)